




Profiles


International Edition





FOGA Profiles...


Details of all current FOGA profiles.









Standard Profiles






Special Purpose Profiles




01 - Single channel**02** - Twin channel**03** - Three-way channel**04** - Four-way channel**21** - Gear edged, produces hinge**21-3** - Gear edged, produces hinge**21A** - Gear edged, produces hinge. Use with 600AC coupling and profiles 91A and 92A**33** - Gear edged, produces hinge


42 - Upright or rail, square




42L - Upright or rail, square




43TX - Forms tensioned fabric walls, use with 613 connector and 350TX silicone strip




51 - Upright or rail, one-way, radius corners




52 - Upright or rail, two-way, radius corners




60 - Upright or rail, 90° corner




62 - Upright, 60° corner




66 - Upright




74 - Upright, four-way circular profile with ribbed finish




76 - Upright, six-way circular profile with ribbed finish



75S - Upright or rail, square



80S - Upright or rail, square




© Foga System International 2011


82 - Upright, 135°, inside shelf support




84 - Upright, 135°




85 - Upright, 180°




88 - Upright




90 - Upright or rail, square




91 - Upright or rail




91A - Upright or rail, use 600AC connector




91D - Sign profile for 4mm panels










91F - Rail, with flange




91FF - Rail, with twin flange




92 - Upright or rail**92A** - Upright or rail, use 600AC connector**92F** - Rail, with flange**92FF** - Rail, with twin flange**92L** - Upright or rail, 90° corner**92LF** - Rail, 90° corner with flange**92LL** - Upright or rail, double 90° corner


92LR - Upright or rail, 90° corner with shelf support




92LRF - Rail, 90° corner with flange




92LRS - Upright or rail, 90° corner with shelf support and screw port










92R - Upright or rail, 90° corner with shelf support




92LRC - Extra wide profile (for wall mounted showcases)




93 - Upright or rail**93R** - Upright, with shelf support**93S** - Upright or rail**94** - Upright or rail**94R** - Upright, with shelf support**95** - Upright, medium circular profile with ribbed finish**94S** - Upright or rail


100 - 100mm deep fascia rail




124 - Upright, medium elliptical profile with ribbed finish




150D - Decorative infill that slides in FOGA channels, can be used vertically or horizontally




153 - Upright or rail, square, radius corners




154 - Upright or rail, square, radius corners




151 - Upright or rail, round




164 - Upright, large elliptical profile with ribbed finish




190 - Upright, small elliptical profile with ribbed finish




194 - Upright or rail, square




192 - Upright or rail




193 - Upright or rail



194R - Upright or rail, 90° corner




160 - 100mm deep fascia rail




180 - Upright, large circular profile with ribbed finish with central boss


180A - Same as profile 180 but without central boss




292 - Upright or rail




292S - Upright or rail, large 90° corner




200D - Decorative infill can be used vertically or horizontally




293 - Upright or rail




294 - Upright or rail, for larger structural designs




70 - Single channel sliding door track












72 - Twin channel sliding door track




73 - Triple channel sliding door track.




101 - Threshold rail with single channel**105** - Doorstop with wool pile**102** - Threshold rail with twin channel**M21** - FOGA Mini - Gear edged, produces hinge**M91** - FOGA Mini - Upright or rail**M92** - FOGA Mini - Upright or rail**M92LR** - FOGA Mini - Upright or rail, 90° corner**CD Holder** - For browsing CDs in standard jewel cases**DVD Holder** - For browsing DVDs in standard cases


D10 - Clip frame with flat front




D10R - Clip frame with curved front




SLOT - Slotwall adaptor - fits together vertically to produce slatwall to any required height



S40 - Post profile, specially for signs



S01 - Aluminium trim for post profile S40



FUD1 - FOGA Upperdeck profile, for two-storey exhibition stands